

DRAFT

Bay-Delta Standards Contained in D-1641

DRAFT

CRITERIA	Aug 07	Sep 07	Oct 07
FLOW/OPERATIONAL			
Fish and Wildlife			
SWP/CVP Export Limits			
Export/Inflow Ratio	65%		
Minimum Outflow - mon.	3500 cfs	3000 cfs	4000 cfs
- 7 day avg	2500 cfs	2000 cfs	3000 cfs
Habitat Protection Outflow, X2			
River Flows:			
@ Rio Vista - min. mon. avg.		3000 cfs	4000 cfs
- 7 day average		2000 cfs	3000 cfs
@ Vernalis: Base -min. mon. avg.			
- 7 day average			
- Pulse Flow			28 + TAF
Delta Cross Channel Gates			
WATER QUALITY STANDARDS			
Municipal and Industrial			
All Export Locations	<= 250 mg/L Cl		
Contra Costa Canal	Cl <= 150 mg/l for 165 days (215 Days have been met)		
Agriculture	Emmaton @ Jersey (Standard has been met)		
Western/Interior Delta	14 dm		
Southern Delta	30-day running average EC <= 0.7 mS 30-day running average EC <= 1.0 ms		
Fish and Wildlife			
San Joaquin River Salinity			
Suisun Marsh Salinity			19.0 mS/cm


Water Year Classification: Dry (Based on 05/01/2007 forecast)

SVI (40-30-30 @ 50%) = 6.2 (DRY)

Apr 8RI: 1.730 MAF

SJV (60-20-20 @75%) = 1.9 (CRITICAL)

SWP & CVP CY 2007 Forecasted Operations



Flows are monthly averages. O&M; cfpl082207